

PRELIMINARY DATA ONLY



VIZI BEAM RX2

The ADJ Lighting Vizi Beam RX2 is a compact, high-performance moving head beam fixture that features a 100W Osram Sirius HRI discharge lamp, a razor-sharp 2-degree beam, two prism effects, and a host of high-performance features for the modern lighting professional.

Elevate your lighting performance with the ADJ Lighting Vizi Beam RX2, a compact and quick moving head beam fixture designed for the modern lighting designer. Featuring a vigorous 100W Osram Sirius HRI discharge lamp with a 6,000-hour lifespan, this potent fixture delivers stunning visuals with a precise 2-degree beam angle, as well as, high speed 3-phase pan/tilt motors for maximum performance.

Unlock a wealth of features including on-board wireless DMX, two prism wheels (16-facet circular & 4-facet linear), a frost effect, motorized focus (with 16-bit fine focus), along with a 14-color dichroic wheel that includes CTO (3200K), CTB (9000k) & UV filters) and 15 static GOBOS + open (3 GOBOS are beam reducers).

The fixture boasts advanced features, including 2 rotating prisms (16-facet circular & 6-facet linear + prism overlay), a frost filter for creating wash effects, and pan/tilt locks for added stability during transportation and rigging. With a color LCD display, 0-100% smooth dimming, and various strobe speeds, the Vizi Beam CMY offers intuitive control.

Designed for convenience, it features outdoor-rated In/Out locking connections for power daisy-chaining, 5-pin In/Out DMX sockets and a color LCD display with 4-button function menu. The Vizi Beam RX2 is a versatile and reliable lighting solution for any high-octane event.

LIGHT SOURCE:

- OSRAM Sirius HRI 100W Discharge Lamp (6,000 hr.)
- Color temperature: 9000K (+/- 300K)

FEATURES:

- On-Board Wireless DMX
- Motorized Focus + 16-Bit Fine Focus
- 2-Degree beam angle
- Frost Filter (to create wash effect)
- High Quality Glass Lens
- 2 Rotating Prisms
- 0-100% Smooth Dimming
- Various Strobe Speeds
- OTA, wireless, firmware updates
- Fan cooled

COLOR WHEEL:

- 14 Dichroic Colors + white (Includes CTO (3200K), CTB (9000K) & UV)
- Indexable Color Wheel (for Split Colors)

GOBO WHEEL:

- 15 static GOBOS + open (3 GOBOS are beam reducers)
- GOBO Shake Effect

PRISM WHEEL:

- 2 Rotating prisms
- 16-Facet circular and 6 facet linear prisms
- Prisms Overlay

CONTROL:

- Protocols: DMX512 & RDM
- Control Mode: DMX512 & Manual (On-board Controls)
- 2 DMX Channel Modes: 12/16 Channels
- Color LCD display with 4-button function menu
- 0-100% smooth dimming
- Various strobe speeds
- With Wired Digital Communication Network

PAN/TILT:

- Pan: 540 Degrees (plus 16-bit fine pan)
- Tilt: 270 degrees (plus 16-bit fine tilt)
- 3-Phase, High Speed, Pan/Tilt Motors



CONNECTIONS:

- DMX Connections: 5-pin DMX In/Out (Data link max: 32 fixtures)
- Power Connections: Outdoor locking In/Out connections to daisy chain power

ELECTRICAL:

- Multi-voltage Operation: 100-240V, 50/60Hz
- Max power consumption: 168W (@120V), 157W (@230V)

DIMENSIONS / WEIGHT:

- Dimension: 9" (L) x 12" (W) x 16.3" (H)
(230 x 304 x 416mm)
- Weight: 16.5 lbs. / 7.5 kg.

APPROVALS / RATINGS:

- CE
- cETLus (Pending)

WHAT'S INCLUDED:

- 2x Omega Brackets (107 Type)
- 1x 2M, Outdoor Locking 14AWG Power Cord

