



VIZI FX7

- **4-IN-1 Effects: Beam, Wash, Kaleidoscope & LED Ring**
- **2,700K ~ 10,000K Linear White Color Temperature Control**
- **Aria X2 Wireless Management System**

Offering four unique effects in one powerful fixture, the Vizi FX7 is a professional moving head luminaire ideal for event production and venue integration. It features six primary 60-watt RGB color mixing LEDs, focused through a motorized zoom assembly which delivers a beam angle range of 8° to 38°. In addition, the lens assembly offers bidirectional rotation, allowing the creation of intense multi-beam effects. Adding to the creative potential offered by the fixture, an additional 60-watt RGB LED generates a central multi-colored kaleidoscope effect, while an outer ring of sixty 0.5W RGB LEDs create 'eye candy' effects. With individual pixel control over the primary LEDs and a variety of built-in FX programs, the Vizi FX7's four distinct functions can be used individually or combined to create a huge variety of aerial effects. Aria X2 wireless is built in, allowing cable free control and remote fixture management, while standard 5-pin DMX sockets are also supplied for integration into existing cabled lighting systems.

Compact yet powerful, the Vizi FX7 is engineered for professional reliability and versatility. Its robust build makes it ideal for touring productions, clubs, concert stages, houses of worship, and event spaces seeking a next-generation multi-effect moving head that delivers maximum visual impact from a single fixture.

VIZI
SERIES

www.ADJ.eu/vizi-fx7

Light Source:**Main + Kaleidoscope Center:**

- 7 x 60-Watt RGBL LEDs
- Color Temperature: 2800K ~ 8,500K
- 50,000 Hour Average LED Life*

Ring LED:

- 60 x 0.5-Watt RGB LEDs
- 50,000 Hour Average LED Life

Colors:

- Red, Green, Blue and Lime x6 Primary LEDs
- Multi-Color Kaleidoscope Center
- Red, Green and Blue Ring LEDs
- Built-In Color Macros
- 2,700K ~ 10,000K Linear White Color Temperature Control
- Color Temperature Presets: 2,800, 3,200, 3,600, 4,500, 5,000, 5,600, 6,200, 6,800, 7,500 and 8,500K

Effects:

- Bi-Directional Primary LED Beam Rotation
- Individual Primary LED Pixel Control
- Bi-Directional Multi-Color Rotating Kaleidoscope
- Built-In FX Programs with Speed Control
- Motorized Zoom: 8° to 38°
- 1Hz ~20Hz Strobe Rate (Electronic)

Control / Connections:

- (3) DMX Channel Modes (Basic / Standard / Extended)
- DMX, RDM, sACN and ArtNet
- Aria X2 Wireless Management System
- NFC System
- 6 Button Touch Control Panel
- Full Color 180° Reversible LCD Menu Display
- 8 / 16 Bit Resolution Adjustable Movement
- RJ45 In/Thru Network Ports
- 3 & 5 pin XLR DMX In/Out
- IP65 Locking Power In/Out
- With Wired Digital Communication Network

Pan / Tilt:

- Pan: 540-degrees
- Tilt: 190-degrees
- 3-Phase Motors




Beam or Wash Effects (Motorized Zoom: 8 ~ 38°)



FULL PIXEL CONTROL



Full Pixel Control



Dimensions & Weight:

- Length: 365mm
- Width: 220mm
- Vertical Height: 434.4mm
- Weight: 13.5kg



Electrical / Thermal:

- AC 100-240V - 50/60Hz
- Max Power Consumption: 400W (3.7 Amps @ 120V)
- Power Link: 6 units @ 230V
- Max ambient temperature: -25°C to 45°C

What's Included:

- (1) Outdoor Locking Power cable (2m)
- (2) Omega brackets (107mm)

Approvals:

- IP20



Specifications subject to change without notice

