



Compact, flat par featuring 7 x 8W RGBW LEDs and a 32-LED RGB ring for vibrant color mixing and smooth wash effects – perfect for stage lighting and uplighting.

The Eliminator Lighting LP 8R LED flat par is a versatile and powerful wash fixture designed for DJ's, mobile entertainers, bars, small venues, and stage applications. Featuring 7 x 8W RGBW (4-in-1) LEDs combined with a 32-piece RGB 3-in-1 LED ring, this flat par produces rich, pure colors, excellent blending, and smooth, even wash output. Its LED's offer a long-lasting 50,000-hour lifespan for reliable performance show after show.

With four DMX channel modes (3 / 6 / 13 / 38), the LP 8R LED flat par supports everything from simple setups to fully programmed lighting control. Functional features such as white balance setting and color cast correction enable more precise color accuracy, while a high-speed synchronous strobe adds dynamic visual effects. Built-in temperature control protection ensures safe, stable operation.

The fixture offers multiple control options including DMX512, Primary-Secondary mode, Auto Run, Sound Active, and Wireless Remote Control, making it adaptable to any environment or workflow. Its 0–100% linear dimming enables smooth fades and professional-grade lighting transitions, all while operating efficiently at just 60W.

Compact and lightweight, the LP 8R LED flat par is easy to transport, mount, and integrate into tight spaces. With an IP20 rating, it is ideal for indoor installations or mobile setups requiring bright, colorful, and dependable lighting.


SPECIFICATIONS:

- LED: 7 x 8W RGBW 4-in-1 LED's + 32 x RGB 3-in-1 Ring LEDs (50,000-hour lifespan)
- Light Effect: Pure color, excellent color mixing, smooth wash output
- Dual yoke system allows fixture to be hung or set on the ground
- Rubber feet for sit flat design
- DMX Channel Modes: 3 / 6 / 13 / 38
- Functions: White balance setting, color cast correction
- Temperature Control Protection
- Control Modes: DMX512, Primary-Secondary, Auto Run, Sound Active, Wireless Remote Control
- Dimmer: 0–100% linear dimming
- Strobe: High-speed synchronous strobe
- IEC Power In/Out Sockets
- 3-pin DMX In/Out
- Input Power: AC100–240V, 50/60Hz
- Power Consumption: 60W
- Dimensions: 7.09" x 5.12" x 8.27" (180 x 130 x 210 mm)
- Weight: 1.76 lb (0.8 kg)
- IP Rating: IP20



LP 8R

ELIMINATOR
LIGHTING



Specifications subject to change without notice.

Revised January 2026