



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006  
Issue date: 3/17/2021 Revision date: 11/27/2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Product name : FOG SCENT COFFEE 1211200015  
Product code : 1211200015

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Industrial use, Professional use

#### 1.3. Details of the supplier of the safety data sheet

ADJ SUPPLY EUROPE B.V  
Junostraat 2  
6468 EW KERKRADE - NL  
Email : info@americandj.eu / Website: www.americandj.eu  
Tel. +31 45 546 85 00 - Fax +31 45 546 85 99

#### 1.4. Emergency telephone number

Tel : +31 45 546 85 00 - Opening Hours : from Monday to Friday : 08:30 to 17:00

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319  
Skin sensitisation, Category 1 H317  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

May cause an allergic skin reaction. Causes serious eye irritation.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP)

: Warning

Contains

: benzyl alcohol; Furaneol; Methyl cyclopentenolone

Hazard statements (CLP)

: H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.

Precautionary statements (CLP)

: P261 - Avoid breathing vapours.  
P280 - Wear protective gloves, protective clothing, eye protection.



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

P321 - Specific treatment (see supplemental first aid instruction on this label).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Acetoin	CAS-No.: 513-86-0 EC-No.: 208-174-1	0.9 – 1.5	Flam. Liq. 3, H226 Eye Dam. 1, H318
Methyl cyclopentenolone / 2-hydroxy-3-methylcyclopent-2-enone	CAS-No.: 80-71-7 EC-No.: 201-303-2	0.5 – 0.9	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Eye Dam. 1, H318 Skin Sens. 1, H317
Furaneol / 4-Hydroxy-2,5-dimethyl-3(2H)-furanone	CAS-No.: 3658-77-3 EC-No.: 222-908-8	0.1 – 0.5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317
benzyl alcohol	CAS-No.: 100-51-6 EC-No.: 202-859-9 EC Index-No.: 603-057-00-5	0.1 – 0.5	Acute Tox. 4 (Oral), H302 (ATE=1200 mg/kg bodyweight) Eye Irrit. 2, H319 Skin Sens. 1B, H317
Propionic acid substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 79-09-4 EC-No.: 201-176-3 EC Index-No.: 607-089-00-0	< 0.1	Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
ethyl acetate substance with national workplace exposure limit(s) (FR); substance with a Community workplace exposure limit	CAS-No.: 141-78-6 EC-No.: 205-500-4 EC Index-No.: 607-022-00-5	< 0.1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Valeraldehyde substance with national workplace exposure limit(s) (FR)	CAS-No.: 110-62-3 EC-No.: 203-784-4	< 0.1	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Propionic acid	CAS-No.: 79-09-4 EC-No.: 201-176-3 EC Index-No.: 607-089-00-0	(10 ≤ C < 25) Skin Irrit. 2; H315 (10 ≤ C < 25) Eye Irrit. 2; H319 (10 ≤ C ≤ 100) STOT SE 3; H335 (25 ≤ C ≤ 100) Skin Corr. 1B; H314

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Self protection of the first-aiders	: First aid workers will be equipped with suitable personal protective equipment.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

##### For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

##### For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.  
Methods for cleaning up : Take up liquid spill into absorbent material.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.  
Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.  
Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.  
Storage conditions : Keep cool. Protect from sunlight.  
Packaging materials : Always store product in container of same material as original container.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

### Propionic acid (79-09-4)

#### EU - Indicative Occupational Exposure Limit (IOEL)

Local name	Propionic acid
IOEL TWA	31 mg/m <sup>3</sup>
	10 ppm
IOEL STEL	62 mg/m <sup>3</sup>
	20 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC

### ethyl acetate (141-78-6)

#### EU - Indicative Occupational Exposure Limit (IOEL)

Local name	Ethyl acetate
IOEL TWA	734 mg/m <sup>3</sup>
	200 ppm
IOEL STEL	1468 mg/m <sup>3</sup>
	400 ppm
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164

## 8.2. Exposure controls

### Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Personal protective equipment symbol(s):



#### Eye and face protection

##### Eye protection:

Safety glasses

#### Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Protective gloves

#### Respiratory protection

##### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: brown.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 60 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 5.5 (4.5 – 6.5)
Viscosity, kinematic	: Not available
Solubility	: soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 1.04 (1.02 – 1.06)
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

<b>Acetoin (513-86-0)</b>	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	> 5000 mg/kg Source: National Library of Medicine
<b>benzyl alcohol (100-51-6)</b>	
LD50 oral rat	1200 mg/kg
LD50 dermal rat	2000 mg/kg
LC50 Inhalation - Rat	> 4.178 mg/l air
LC50 Inhalation - Rat (Vapours)	> 4.178 mg/l
<b>Propionic acid (79-09-4)</b>	
LD50 oral rat	3455.1 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2978,9 - 4007,5
LD50 dermal rat	3235 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	3235 mg/kg Source: ECHA
LC50 Inhalation - Rat	> 20 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Vapours)	> 20 mg/l Source: ECHA
<b>Furaneol / 4-Hydroxy-2,5-dimethyl-3(2H)-furanone (3658-77-3)</b>	
LD50 oral rat	2320 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
<b>Methyl cyclopentenolone / 2-hydroxy-3-methylcyclopent-2-enone (80-71-7)</b>	
LD50 oral rat	≈ 1067.4 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
<b>ethyl acetate (141-78-6)</b>	
LD50 oral	4934 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 20000 mg/kg bodyweight Animal: rabbit, Animal sex: male
<b>Valeraldehyde (110-62-3)</b>	
LD50 oral rat	≈ 6490 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	4857 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	14.3 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Vapours)	14.3 mg/l Source: ECHA

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
pH: 5.5 (4.5 – 6.5)  
Serious eye damage/irritation : Causes serious eye irritation.  
pH: 5.5 (4.5 – 6.5)



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)

### Furaneol / 4-Hydroxy-2,5-dimethyl-3(2H)-furanone (3658-77-3)

NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)

### Propionic acid (79-09-4)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

### ethyl acetate (141-78-6)

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

### Valeraldehyde (110-62-3)

STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)

### benzyl alcohol (100-51-6)

NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight
----------------------------	----------------------

### ethyl acetate (141-78-6)

LOAEL (oral, rat, 90 days)	3600 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)
NOAEL (oral, rat, 90 days)	900 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 795.2600 (Subchronic Oral Toxicity Test)

Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
-------------------	-------------------------------------------------------------------------------------

### benzyl alcohol (100-51-6)

Viscosity, kinematic	4.851 mm <sup>2</sup> /s
----------------------	--------------------------

### Valeraldehyde (110-62-3)

Viscosity, kinematic	0.672 mm <sup>2</sup> /s
----------------------	--------------------------

## 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

### Acetoin (513-86-0)

LC50 - Fish [1]	790.335 mg/l Source: Ecological Structure Activity Relationships
EC50 96h - Algae [1]	1579508 mg/l Test organisms (species):

### benzyl alcohol (100-51-6)

LC50 - Fish [1]	460 mg/l
-----------------	----------





# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

<b>benzyl alcohol (100-51-6)</b>	
EC50 - Crustacea [1]	230 mg/l
EC50 72h - Algae [1]	770 mg/l
EC50 72h - Algae [2]	500 mg/l
NOEC (chronic)	51 mg/l
<b>Propionic acid (79-09-4)</b>	
LC50 - Fish [1]	> 10000 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	> 500 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 500 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
<b>Furaneol / 4-Hydroxy-2,5-dimethyl-3(2H)-furanone (3658-77-3)</b>	
LC50 - Fish [1]	1.887 mg/l Source: Ecological Structure Activity Relationships
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	194.03 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	96.963 mg/l Source: Ecological Structure Activity Relationships
<b>Methyl cyclopentenolone / 2-hydroxy-3-methylcyclopent-2-enone (80-71-7)</b>	
LC50 - Fish [1]	2.835 mg/l Source: Ecological Structure Activity Relationships
EC50 - Crustacea [1]	43.74 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	48.301 mg/l Source: Ecological Structure Activity Relationships
<b>ethyl acetate (141-78-6)</b>	
LC50 - Fish [1]	230 mg/l Test organisms (species): Pimephales promelas
NOEC (chronic)	2.4 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
<b>Valeraldehyde (110-62-3)</b>	
LC50 - Fish [1]	12.4 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	31.5 mg/l Test organisms (species): Daphnia magna
ErC50 algae	20 mg/l Source: EHCA
NOEC (chronic)	2.5 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

### 12.2. Persistence and degradability

<b>FOG SCENT COFFEE</b>	
Persistence and degradability	Not rapidly degradable
<b>Acetoin (513-86-0)</b>	
Persistence and degradability	Not rapidly degradable
<b>benzyl alcohol (100-51-6)</b>	
Persistence and degradability	Not rapidly degradable
<b>Propionic acid (79-09-4)</b>	
Persistence and degradability	Not rapidly degradable



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

### Furaneol / 4-Hydroxy-2,5-dimethyl-3(2H)-furanone (3658-77-3)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

### Methyl cyclopentenolone / 2-hydroxy-3-methylcyclopent-2-enone (80-71-7)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

### ethyl acetate (141-78-6)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

### Valeraldehyde (110-62-3)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

## 12.3. Bioaccumulative potential

### Acetoin (513-86-0)

Partition coefficient n-octanol/water (Log Pow)	-0.36 Source: National Library of Medicine/Hazardous Substances Data Bank
-------------------------------------------------	---------------------------------------------------------------------------

### benzyl alcohol (100-51-6)

Partition coefficient n-octanol/water (Log Pow)	1.1
-------------------------------------------------	-----

### Propionic acid (79-09-4)

Partition coefficient n-octanol/water (Log Pow)	0.33 Source: HSDB
-------------------------------------------------	-------------------

### Furaneol / 4-Hydroxy-2,5-dimethyl-3(2H)-furanone (3658-77-3)

Partition coefficient n-octanol/water (Log Pow)	0.82 Source: Quantitative Structure Activity Relation
-------------------------------------------------	-------------------------------------------------------

### Methyl cyclopentenolone / 2-hydroxy-3-methylcyclopent-2-enone (80-71-7)

Partition coefficient n-octanol/water (Log Pow)	1.29 Source: ECOSAR
-------------------------------------------------	---------------------

### Valeraldehyde (110-62-3)

Partition coefficient n-octanol/water (Log Pow)	1.5 Source: ECHA
-------------------------------------------------	------------------

## 12.4. Mobility in soil

### Acetoin (513-86-0)

Mobility in soil	2 Source: National Library of Medicine/Hazardous Substances Data Bank
------------------	-----------------------------------------------------------------------

### Furaneol / 4-Hydroxy-2,5-dimethyl-3(2H)-furanone (3658-77-3)

Mobility in soil	1.072 Source: Quantitative Structure Activity Relation
------------------	--------------------------------------------------------

### Methyl cyclopentenolone / 2-hydroxy-3-methylcyclopent-2-enone (80-71-7)

Mobility in soil	1.423 Source: Quantitative Structure Activity Relation
------------------	--------------------------------------------------------

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

No additional information available



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
<b>14.1. UN number or ID number</b>		
Not regulated for transport		
<b>14.2. UN proper shipping name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Not regulated	Not regulated	Not regulated
No supplementary information available		

#### 14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Revision date	Modified
	Supersedes version of	Modified
4.1	First-aid measures for first aider	Added
4.1	First-aid measures general	Added
4.2	Symptoms/effects after eye contact	Added
4.2	Symptoms/effects after ingestion	Added
4.2	Symptoms/effects after inhalation	Added
5.1	Unsuitable extinguishing media	Added
5.2	Explosion hazard	Added
5.2	Fire hazard	Added
5.3	Firefighting instructions	Added
6.1	Emergency procedures	Added
6.1	Protective equipment	Added
6.1	General measures	Added
6.3	For containment	Added
7.1	Additional hazards when processed	Added



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

### Indication of changes

Section	Changed item	Comments
7.2	Packaging materials	<b>Added</b>
7.2	Technical measures	<b>Added</b>
7.2	Storage conditions	<b>Modified</b>
8.2	Personal protective equipment	<b>Added</b>
9	Flammability (solid, gas)	<b>Modified</b>
13.1	Sewage disposal recommendations	<b>Added</b>
13.1	Product/Packaging disposal recommendations	<b>Added</b>
13.1	Additional information	<b>Added</b>
13.1	Regional waste regulation	<b>Added</b>

### Abbreviations and acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists (ACGIH)
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
CSA	Chemical safety assessment
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
EWG	European waste catalogue
IARC	International Agency for Research on Cancer(IARC)
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Lethal concentration for 50% of the population tested (median lethal concentration)
LD50	Median lethal dose for 50% of the population tested (median lethal dose)
LOAEL	Lowest Observed Adverse Effect Level
Log Kow	Partition coefficient n-octanol/water (Log Kow)
Log Pow	Partition coefficient n-octanol/water (Log Pow)



# FOG SCENT COFFEE

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

### Abbreviations and acronyms:

MAK	maximum workplace concentration
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
N.O.S.	Not Otherwise Specified
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
OSHA	Occupational Safety and Health Administration (OSHA)
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
PPE	Personal protection equipment
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TF	Technical function
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
TWA	Time Weighted Average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
UFI	Unique Formula Identifier

### Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.



## FOG SCENT COFFEE

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006

#### Full text of H- and EUH-statements:

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.